



STANDARD PROFILES AND OPEN-DIE PROFILES



EXTRUAL




Much more than an aluminium factory

At EXTRUAL, we offer a wide range of standardised aluminium profiles designed to meet the needs of different industrial sectors. Our catalogue includes an extensive selection of shapes and dimensions, including rectangular and round tubes, U-profiles, T-profiles and solid profiles.

Our standard profiles are manufactured to rigorous quality standards, providing reliability and durability across a wide range of applications. Each profile is carefully designed and manufactured to deliver consistent performance under different operating conditions.

Explore our catalogue to discover the range and versatility of our standard aluminium profiles.

SQUARE TUBES



An exceptional combination of stability and versatility.
With a wide range of sizes available, they are very easy to integrate.

	Ref.	Size	Weight	Perimeter
	9.618	10 x 10 x 1.8	0.159	0.10
	8.831	13 x 13 x 1.5	0.186	0.10
	10.261	14 x 14 x 1.5	0.203	0.10
★	2.713	16 x 16 x 1.3	0.206	0.12
★	1.064	20 x 20 x 1.3	0.262	0.15
	14.031	20 x 20 x 1.6	0.319	0.15
	10.719	20 x 20 x 2.0	0.389	0.14
	1.065	25 x 25 x 1.3	0.333	0.19
	11.044	25 x 25 x 1.5	0.381	0.19
	8.314	25 x 25 x 2.0	0.497	0.18
★	1.066	30 x 30 x 1.3	0.403	0.23
	7.504	30 x 30 x 1.4	0.432	0.23
	10.856	30 x 30 x 2.0	0.605	0.22
	7.709	30 x 30 x 2.5	0.743	0.22
	6.324	35 x 35 x 1.3	0.473	0.27
	7.776	35 x 35 x 1.7	0.610	0.27
	9.517	40 x 40 x 1.2	0.502	0.31
★	1.067	40 x 40 x 1.3	0.543	0.31
	1.718	40 x 40 x 1.5	0.624	0.31
	12.607	40 x 40 x 2.0	0.821	0.30
	11.436	40 x 40 x 3.0	1.199	0.30
	4.187	40 x 40 x 3.0 (R1)	1.196	0.29
	15.747	40 x 40 x 3.0 (R3)	1.178	0.29
	6.377	45 x 45 x 1.5	0.705	0.35
★	1.068	50 x 50 x 1.5	0.786	0.39
	9.825	50 x 50 x 2.0	1.037	0.38
	9.518	60 x 60 x 1.3	0.824	0.47
★	1.892	60 x 60 x 1.5	0.947	0.47
	1.069	60 x 60 x 1.8	1.131	0.47
	6.370	60 x 60 x 2.5	1.553	0.46
	11.047	60 x 60 x 3.0 (R3)	1.817	0.45
★	1.070	70 x 70 x 1.8	1.326	0.55
	3.758	70 x 70 x 2.0	1.469	0.54


	Ref.	Size	Weight	Perimeter
	3.447	80 x 80 x 1.5	1.272	0.63
	12.220	80 x 80 x 2.2	1.847	0.62
	12.709	80 x 80 x 1.7 (R1)	1.436	0.62
	1.751	80 x 80 x 2.0	1.685	0.62
	8.987	80 x 80 x 4.0	3.283	0.61
	4.803	82 x 82 x 2.5 (R9)	2.057	0.61
	9.519	100 x 100 x 1.6	1.701	0.79
★	1.696	100 x 100 x 2.0	2.117	0.78
	9.465	100 x 100 x 4.0	4.147	0.77
	9.520	120 x 120 x 2.0	2.549	0.94
	9.734	120 x 120 x 4.0	5.011	0.93

R=ROUNDED EDGES



★ Available in stock

ROUND TUBES



Elegance and functionality. Proles designed to provide durable and aesthetically attractive solutions.

Ref.	Size	Weight	Perimeter
12.316	8 x 1.9	0.097	0.10
9.259	9.3 x 1.7	0.111	0.10
12.353	9.5 x 1.2	0.086	0.10
12.609	10 x 1.2	0.089	0.10
10.197	11.8 x 1.3	0.113	0.10
12.354	12 x 1.2	0.111	0.10
3.649	12 x 1.5	0.132	0.10
12.772	13 x 1.25	0.127	0.10
1.208	15.5 x 1.1	0.134	0.10
2.042	15.8 x 2.65	0.295	0.10
1.744	16 x 1.4	0.162	0.10
1.045	16 x 1.5	0.185	0.10
10.006	16 x 3.5	0.370	0.10
2.729	17.3 x 1.3	0.176	0.10
2.299	17.5 x 1.0	0.140	0.10
1.207	18 x 1.1	0.158	0.11
1.745	18 x 1.3	0.184	0.11
6.500	18.6 x 1.5	0.219	0.11
1.863	20 x 1.0	0.161	0.12
1.746	20 x 1.3	0.206	0.12
1.046	20 x 1.8	0.278	0.12
5.722	20 x 2.0	0.305	0.11
11.684	20 x 3.0	0.432	0.11
2.575	20.4 x 1.3	0.211	0.12
1.717	22 x 1.5	0.262	0.13
8.135	22 x 1.0	0.178	0.13
2.464	22.5 x 2.0	0.349	0.13
1.747	25 x 1.3	0.261	0.15
3.075	25 x 1.5	0.300	0.15
13.631	25 x 2.0	0.389	0.15
6.463	25 x 2.5	0.478	0.14
1.355	26.5 x 1.25	0.268	0.16
6.851	28 x 2.7	0.581	0.16
9.527	30 x 1.3	0.316	0.18
1.702	30 x 1.5	0.363	0.18
3.111	30 x 1.5	0.363M	0.18
10.798	30 x 2.0	0.475	0.18
11.685	30 x 3.0	0.688	0.17
2.806	30 x 6.0	1.221	0.15
2.695	32 x 1.8	0.462	0.19

Ref.	Size	Weight	Perimeter
2.521	32 x 7.0	1.485	0.16
12.895	32.5 x 3.5	0.861	0.18
1.265	33 x 3.0	0.756	0.19
3.586	34.3 x 1.8	0.497	0.21
1.692	35 x 1.3	0.372	0.21
3.112	35 x 1.5	0.427M	0.21
2.807	35 x 5.5	1.377	0.19
2.221	35 x 7.5	1.755	0.20
5.608	36.4 x 2.2	0.637	0.22
1.748	40 x 1.5	0.490	0.24
6.152	40 x 1.9	0.613	0.24
3.224	40 x 2.0	0.645	0.24
11.686	40 x 5.0	1.482	0.22
5.609	42.5 x 1.5	0.521	0.26
4.264	43.2 x 1.7	0.599	0.26
1.701	44 x 2.0	0.712	0.26
12.896	44.5 x 2.0	0.721	0.27
6.779	45 x 1.5	0.554	0.27
6.276	45 x 3.0	1.069	0.26
2.465	47 x 2.0	0.764	0.28
13.407	48 x 2.0	0.761	0.29
3.223	48 x 3.0	1.145	0.28
1.749	50 x 1.5	0.617	0.31
11.687	50 x 2.0	0.893	0.30
9.462	50 x 5.0	1.906	0.28
2.341	50 x 17.5	4.825	0.20
1.750	60 x 1.5	0.744	0.37
6.892	60 x 2.5	1.220	0.36
12.008	60 x 15.0	5.724	0.28
5.923	63 x 1.5	0.835	0.39
5.954	72 x 2.0	1.188	0.44
5.872	80 x 1.6	1.064	0.49
9.251	80 x 2.5	1.644	0.49
9.463	80 x 5.0	3.181	0.47
2.222	90 x 27.5	14.577	0.39
7.207	100 x 3.0	2.468	0.61
9.464	100 x 5.0	4.028	0.60
5.933	101.6 x 1.6	1.355	0.63
6.523	122 x 3.5	3.518	0.74
17.322	60 x 4.0	1.900	0.35

M=MINIMUM WEIGHT DIMENSIONS: OUTER Ø X THICKNESS



RECTANGULAR TUBES

Versatility and strength, ideal for a wide range of applications in different industries.



	Ref	Size	Weight	PTER
*	7.959	18 x 13 x 1.2	0.186	0.11
	2.177	20 x 10 x 1.2	0.179	0.11
	9.873	24 x 7 x 1.6	0.240	0.11
	1.266	25 x 12 x 1.5	0.276	0.14
	1.403	25 x 15 x 1.3	0.263	0.15
*	1.510	27 x 16 x 2.0	0.421	0.16
	12.311	30 x 10 x 1.5	0.300	0.15
	1.071	30 x 15 x 1.3	0.298	0.17
	1.072	30 x 20 x 1.3	0.333	0.19
	12.221	30 x 20 x 1.4	0.356	0.19
*	2.978	30 x 20 x 1.5	0.381	0.19
	1.363	35 x 20 x 1.5	0.421	0.21
	12.655	40 x 10 x 1.5	0.381	0.19
	14.119	40 x 15 x 3.0	0.794	0.20
	9.521	40 x 20 x 1.2	0.373	0.23
*	1.073	40 x 20 x 1.3	0.403	0.23
	4.091	40 x 20 x 1.5	0.462	0.23
	3.226	40 x 20 x 2.0	0.605	0.22
	2.176	40 x 25 x 1.3	0.489	0.25
	13.173	45 x 15 x 1.5	0.462	0.23
*	2.047	50 x 15 x 1.3	0.438	0.25
	13.849	50 x 20 x 1.3	0.473	0.27



	Ref	Size	Weight	PTER
*	3.384	50 x 25 x 1.3	0.508	0.29
	11.774	50 x 25 x 2.5 (R2)	0.937	0.28
	3.459	50 x 30 x 1.4	0.605	0.29
	8.107	50 x 30 x 1.8	0.743	0.31
	9.698	55 x 40 x 2.0	0.983	0.36
*	11.380	55 x 45 x 2.0	1.037	0.38
	7.462	60 x 10 x 1.3	0.473	0.27
	10.428	60 x 20 x 1.3	0.543	0.31
	12.222	60 x 20 x 1.4	0.583	0.31
	1.074	60 x 20 x 1.5	0.624	0.31
*	16.712	60 x 20 x 2.0	0.821	0.30
	7.522	60 x 30 x 1.5	0.705	0.35
	3.225	60 x 30 x 2.0	0.929	0.34
	10.085	60 x 40 x 1.3	0.683	0.39
	1.076	60 x 40 x 1.5	0.786	0.39
*	12.223	60 x 40 x 1.6	0.837	0.39
	16.714	60 x 40 x 3.0	1.523	0.38
	9.522	70 x 20 x 1.3	0.613	0.35
	1.075	70 x 20 x 1.5	0.705	0.35
	9.523	80 x 20 x 1.3	0.683	0.39
*	1.910	80 x 20 x 1.5	0.786	0.39
	12.224	80 x 20 x 1.6	0.837	0.39
	3.008	80 x 20 x 1.7	0.886	0.39
	16.713	80 x 20 x 2.0	1.037	0.38
	9.524	80 x 40 x 1.3	0.824	0.47
*	2.041	80 x 40 x 1.5	0.948	0.47
	12.225	80 x 40 x 1.6	1.010	0.47
	1.077	80 x 40 x 1.8	1.131	0.47
	6.108	80 x 40 x 3.0	1.847	0.46
	9.958	80 x 50 x 2.0	1.361	0.50
*	10.645	100 x 20 x 1.3	0.824	0.47
	5.765	100 x 30 x 1.7	1.161	0.51
	1.689	100 x 30 x 3.0	2.009	0.50
	3.409	100 x 40 x 1.5	1.110	0.55
	12.226	100 x 40 x 1.6	1.253	0.55
*	1.742	100 x 40 x 1.8	1.326	0.55
	16.565	100 x 40 x 2.5	1.823	0.54
	15.653	100 x 40 x 4.0 (R6)	2.795	0.51
	8.112	100 x 50 x 2.0	1.577	0.58
	9.699	100 x 55 x 2.0	1.631	0.60
*	3.444	100 x 60 x 2.0	1.685	0.62
	12.151	120 x 20 x 2.0	1.469	0.54
	9.525	120 x 40 x 1.6	1.355	0.63
	12.227	120 x 40 x 1.9	1.601	0.63
	1.743	120 x 40 x 2.0	1.685	0.62
*	16.160	140 x 40 x 4.0	3.715	0.69
	5.414	130 x 50 x 4.0	3.715	0.69
	13.041	150 x 30 x 1.9	1.809	0.71
	10.395	150 x 40 x 2.5	2.587	0.74
	9.526	150 x 50 x 2.0	2.117	0.78
*	8.578	150 x 50 x 4.0	4.147	0.77
	9.720	250 x 60 x 2.75	4.523	1.22
	16.789	100 x 50 x 8	5.797	0.53

★ Available in stock

90° PROFILES



Strength and stability make these profiles suitable for industrial and architectural applications.



	Ref.	Size	Weight	Perimeter
	2.991	15 x 10 x 1.5 (R)	0.094	0.10
	2.574	17 x 15 x 1.2	0.100	0.10
*	2.257	20 x 10 x 1.3	0.101	0.10
	9.826	20 x 15 x 2.0	0.178	0.10
	4.795	24.6 x 15 x 2.0	0.203	0.10
	4.906	25 x 6 x 1.5	0.126	0.10
	1.636	25 x 15 x 1.5	0.153	0.10
	2.296	25 x 13 x 3.0	0.283	0.10
*	2.279	30 x 15 x 1.3	0.154	0.10
	9.332	30 x 20 x 1.3	0.170	0.10
	1.637	30 x 20 x 1.5	0.197	0.10
	9.700	30 x 20 x 2.0	0.259	0.10
	4.282	35 x 10 x 1.3	0.154	0.10
	1.590	35 x 12 x 1.2	0.148	0.10
	15.456	38 x 25 x 3.0	0.486	0.13
	2.697	40 x 7 x 1.3	0.160	0.10
*	5.787	40 x 20 x 1.3	0.205	0.12

R=ROUNDED EDGES



	Ref.	Size	Weight	Perimeter
	2.193	15 x 15 x 1.3	0.103	0.10
	9.335	15 x 15 x 1.5	0.116	0.10
*	1.078	20 x 20 x 1.3	0.134	0.10
	1.669	20 x 20 x 1.5	0.156	0.10
	9.827	20 x 20 x 2.0	0.205	0.10
	9.528	25 x 25 x 1.2	0.159	0.10
*	1.079	25 x 25 x 1.3	0.171	0.10
	1.670	25 x 25 x 1.5	0.197	0.10
	1.161	25 x 25 x 2.0	0.259	0.10
*	1.080	30 x 30 x 1.3	0.206	0.12
	9.336	30 x 30 x 2.0	0.313	0.12
	2.979	30 x 30 x 1.5	0.238	0.12
	13.089	30 x 30 x 3.0	0.462	0.12
	9.331	35 x 35 x 1.3	0.240	0.14
*	5.180	40 x 40 x 1.3	0.275	0.16
	1.081	40 x 40 x 1.5	0.316	0.16
	9.337	40 x 40 x 2.0	0.421	0.16
	16.098	40 x 40 x 3.0	0.624	0.16
*	2.497	40 x 40 x 4.0	0.821	0.16
	2.322	50 x 50 x 1.5	0.399	0.20
	12.524	50 x 50 x 2.0	0.529	0.20
	1.453	50 x 50 x 3.5	0.914	0.20
*	1.377	50 x 50 x 5.0 (R)	1.225	0.20
	1.082	60 x 60 x 1.5	0.480	0.24
	12.636	60 x 60 x 2.0	0.637	0.24
	13.651	80 x 80 x 1.8	0.770	0.32
	10.277	90 x 90 x 10	4.590	0.36
	6.813	140 x 140 x 10	7.290	0.56

R=ROUNDED EDGES

	Ref.	Size	Weight	Perimeter
	1.083	40 x 20 x 1.5	0.237	0.12
	9.338	40 x 20 x 2.0	0.313	0.12
	3.833	50 x 10 x 1.5	0.237	0.12
	9.828	50 x 20 x 2.0	0.367	0.14
*	1.638	50 x 25 x 1.5	0.298	0.15
	9.701	60 x 20 x 2.0	0.421	0.16
	9.702	60 x 30 x 2.0	0.475	0.18
	9.529	60 x 40 x 1.3	0.346	0.20
*	4.568	60 x 40 x 1.5	0.426	0.20
	12.532	60 x 40 x 2.0	0.529	0.20
	8.438	60 x 40 x 8.0	1.987	0.20
	9.480	75 x 20 x 2.0	0.502	0.19
	12.447	80 x 25 x 2.0	0.556	0.21
	10.644	80 x 40 x 1.5	0.481	0.24
	11.745	80 x 50 x 2.0	0.691	0.26
	8.524	90 x 63 x 1.5	0.613	0.31
	9.703	95 x 30 x 2.0	0.599	0.25
	11.746	100 x 20 x 2.0	0.637	0.24
	16.655	100 x 40 x 1.5	0.562	0.28
	8.111	110 x 25 x 2.0	0.718	0.27
	11.747	110 x 30 x 1.8	0.672	0.28
	12.448	110 x 40 x 2.0	0.800	0.30
	11.748	115 x 30 x 1.8	0.696	0.29
	11.749	130 x 30 x 2.0	0.853	0.32
	7.357	150 x 50 x 8.0	4.147	0.40

“T” PROFILES



Flexible solutions that offer precision and durability in different projects.

Ref.	Size	Weight	Perimeter
2.714	25 x 25 x 1.3	0.170	0.10
2.321	20 x 20 x 1.3	0.156	0.10
2.426	30 x 30 x 1.5	0.237	0.10
1.409	30 x 30 x 2.0	0.314	0.12

Ref.	Size	Weight	Perimeter
1.909	40 x 40 x 1.5	0.319	0.16
10.005	40 x 40 x 4.0	0.821	0.16
11.979	60 x 45 x 1.8	0.502	0.21
9.333	60 x 60 x 1.5	0.481	0.24

“U” PROFILES



Efficiency and stability, perfect for complementing structural and support profiles.

Ref.	Size	Weight	Perimeter
2.791	8.3 x 21 x 8.3 x 2.0	0.181	0.10
1.715	10 x 20 x 10 x 1.2	0.122	0.10
6.145	15 x 10 x 15 x 2.0	0.194	0.10
5.107	15 x 15 x 15 x 1.3	0.149	0.10
1.716	15 x 20 x 15 x 1.2	0.154	0.10
2.250	15 x 30 x 15 x 1.5	0.232	0.12
4.692	15 x 30 x 15 x 2.5 (R)	0.367	0.11
5.662	15 x 32 x 15 x 1.5	0.238	0.12
5.600	15 x 100 x 15 x 1.5	0.516	0.26
1.589	20 x 20 x 20 x 1.3	0.202	0.12
2.980	20 x 20 x 20 x 1.5	0.230	0.12
5.491	20 x 30 x 20 x 3.0	0.518	0.13
4.597	22 x 15 x 22 x 1.0	0.154	0.20

Ref.	Size	Weight	Perimeter
1.456	25 x 16 x 25 x 1.5	0.257	0.13
9.101	25 x 22.6 x 25 x 1.3	0.246	0.14
7.394	25.5 x 76 x 25.5 x 3.0	0.980	0.25
4.144	28 x 16 x 28 x 1.3	0.243	0.14
4.023	30 x 29.5 x 30 x 1.5	0.351	0.18
5.218	30 x 33.5 x 30 x 1.5	0.367	0.18
6.300	30 x 34 x 30 x 1.5	0.367	0.18
6.294	30 x 44 x 30 x 1.5	0.408	0.20
11.322	30 x 45 x 30 x 2.0	0.545	0.21
1.767	30 x 54 x 30 x 1.5	0.450	0.26
11.323	30 x 65 x 30 x 2.0	0.653	0.25
2.277	40 x 60 x 40 x 5.0 (R)	1.755	0.27
3.445	45 x 115 x 45 x 1.5	0.818	0.41


R=ROUNDED EDGES

★ Available in stock



ROUND BARS

Strength and durability, they offer exceptional resistance and provide a reliable and robust solution.



Ref.	Size	Weight	Perimeter
12.352	h 6	0.076	0.10
12.608	h 8	0.135	0.10
8.017	h 10	0.213	0.10
7.102	h 12	0.305	0.10
7.103	h 14	0.416	0.10
3.373	h 20	0.848	0.10
2.310	h 25	1.326	0.10
2.496	h 27	1.547	0.10

Ref.	Size	Weight	Perimeter
7.960	h 30	1.909	0.10
16.644	h 35	2.597	0.11
3.943	h 40	3.394	0.13
8.910	h 42	3.740	0.13
7.577	h 46	4.487	0.15
2.073	h 50	5.299	0.16
8.171	h 60	7.633	0.19

FLAT BARS

Solid pieces that offer excellent load capacity. They are the perfect choice for projects requiring stability and reliability.



Ref.	Size	Weight	Perimeter
3.398	8 x 5	0.108	0.10
1.761	8 x 7	0.151	0.10
8.492	11 x 3.5	0.105	0.10
1.593	12 x 4	0.129	0.10
2.234	14 x 3 (R)	0.111	0.10
4.567	14.5 x 2.5	0.097	0.10
1.752	15 x 3	0.122	0.10

Ref.	Size	Weight	Perimeter
11.973	16 x 3	0.130	0.10
4.699	16.5 x 4.5	0.200	0.10
9.476	18 x 3 (R)	0.140	0.10
12.708	18 x 8	0.389	0.10
12.211	20 x 2	0.108	0.10
1.084	20 x 4	0.216	0.10

R=ROUNDED EDGES



SOLID PLATES

Solid pieces that offer excellent load capacity. They are the perfect choice for projects requiring stability and reliability. Solid pieces that offer excellent load capacity. They are the perfect choice for projects requiring stability and reliability.

Ref.	Size	Weight	Perimeter
6.645	20 x 5	0.270	0.10
12.212	20 x 6 (R)	0.302	0.10
2.233	20 x 8	0.432	0.10
1.124	20 x 10	0.540	0.10
2.153	20 x 12	0.648	0.10
5.446	24.5 x 3 (R)	0.193	0.10
14.613	25 x 2	0.135	0.10
7.121	25 x 3	0.203	0.10
10.209	25 x 3 (R)	0.203	0.10
4.260	25.5 x 5.5 (R)	0.362	0.10
10.139	25.3 x 25.3	1.728	0.10
13.659	30 x 2	0.162	0.10
1.086	30 x 3	0.243	0.10
* 1.087	30 x 4	0.324	0.10
1.088	30 x 6	0.486	0.10
2.911	30 x 30	2.430	0.12
2.906	32 x 8 (R)	0.683	0.10
2.117	32 x 16	1.382	0.10
11.974	33 x 3	0.267	0.10
11.975	36 x 3	0.292	0.10
5.105	37 x 28	2.797	0.13
15.822	40 x 2	0.216	0.10
8.215	40 x 3	0.324	0.10
10.801	40 x 3 (R)	0.319	0.10
* 1.089	40 x 4	0.432	0.10
10.208	40 x 4 (R)	0.424	0.10
3.451	40 x 5 (R)	0.527	0.10
1.090	40 x 6	0.648	0.10
2.462	40 x 12	1.296	0.10
9.950	40 x 12 (R)	1.212	0.10
14.300	40 x 23.5	2.538	0.13
1.573	40 x 40	4.320	0.16

R=ROUNDED EDGES



Ref.	Size	Weight	Perimeter
11.976	44 x 3	0.359	0.10
3.238	45 x 11.6 (R)	1.331	0.10
13.164	46 x 8	0.994	0.11
9.447	50 x 3	0.405	0.11
13.165	50 x 4	0.540	0.11
2.206	50 x 10	1.350	0.12
2.152	50 x 20	2.700	0.14
2.421	50 x 25	3.375	0.15
2.118	50 x 30	4.050	0.16
11.418	54.5 x 12.3	1.809	0.13
3.108	60 x 2	0.324	0.12
10.070	60 x 8	1.296	0.14
1.378	60 x 10	1.620	0.14
2.910	60 x 40	6.480	0.20
8.110	70 x 5	0.945	0.15
10.002	75 x 6	1.215	0.16
16.501	80 x 8	1.725	0.17
11.419	80.5 x 15.3	3.324	0.19
5.810	90 x 4	0.972	0.19
11.035	80 x 3	0.648	0.17
4.208	100 x 3	0.810	0.21
11.977	101 x 3	0.818	0.21
11.420	120.5 x 20.3	6.604	0.28
4.296	125 x 20	6.750	0.29
9.668	150 x 15	6.075	0.33
2.033	150 x 30	12.150	0.36
5.348	162 x 21	9.185	0.37
2.552	165 x 12	5.346	0.35
9.669	200 x 20	10.800	0.44
11.515	200 x 25	13.500	0.45
12.882	240 x 25	16.200	0.53
9.626	330 x 8	7.128	0.68

* Available in stock



extrual.com